

Appl. No. 10/698,116  
Reply to Office Action of January 9, 2006

Attorney Docket No. P-11714.00 / 31849.86  
Customer No. 46334

**Amendments To The Claims**

Please cancel Claims 22-36 and 38-41 without prejudice. The following list of the claims replaces all prior versions and lists of the claims in this application.

1. (Previously presented) A surgical instrument, comprising:  
a housing;  
an electrical power source;  
an output shaft extending from the housing;  
a rotor coupled to the output shaft; wherein at least a portion of the rotor comprises a magnet having a remanence greater than or equal to about 1 T;  
a stator having: a winding selectively connectable to the electrical power source; and a magnetically conductive portion disposed about the rotor and comprising a plurality of laminations; and  
a protective layer disposed between the stator and the rotor;  
wherein selectively connecting the electrical power source and the stator windings imparts rotary motion to the output shaft via the rotor.

Claim 2 (Canceled).

3. (Original) The surgical instrument of claim 1, wherein the protective layer comprises brass.

4. (Original) The surgical instrument of claim 1, wherein the remanence of the magnet is greater than or equal to about 1.15T.

5. (Original) The surgical instrument of claim 1, wherein the remanence of the magnet is greater than or equal to about 1 T after being autoclaved.



Appl. No. 10/698,116  
Reply to Office Action of January 9, 2006

Attorney Docket No. P-11714.00 / 31849.86  
Customer No. 46334

6. (Original) The surgical instrument of claim 1, wherein the magnet is a neodymium-iron-boron magnet.

7. (Original) The surgical instrument of claim 1, wherein the winding is a self-supporting winding.

8. (Original) The surgical instrument of claim 7, wherein the self-supporting winding is selected from the group consisting of a Faulhaber winding, a rhombic winding, concentric windings, or a self-supporting winding A.

9. (Original) The surgical instrument of claim 8, wherein the self-supporting winding is a self-supporting winding A.

10. (Previously presented) The surgical instrument of claim 8, wherein the winding comprises a substantially rectangular shaped conductive element.

11. (Original) The surgical instrument of claim 8, wherein the winding comprises a conductive element and a thermoplastic element, wherein the thermoplastic element is disposed about the conductive element.

12. (Original) The surgical instrument of claim 1, wherein each of the plurality of stator laminations has a thickness of less than about 0.25 mm.

13. (Original) The surgical instrument of claim 1, wherein the housing, at least in a portion housing the stator, has an outer diameter of less than about 30 mm.

14. (Original) The surgical instrument of claim 13, wherein the housing, at least in a portion housing the stator, has an outer diameter of less than about 25 mm.



Appl. No. 10/698,116  
Reply to Office Action of January 9, 2006

Attorney Docket No. P-11714.00 / 31849.86  
Customer No. 46334

15. (Original) The surgical instrument of claim 14, wherein the housing, at least in a portion housing the stator, has an outer diameter of less than about 20 mm.

16. (Original) The surgical instrument of claim 15, wherein the housing, at least in a portion housing the stator, has an outer diameter of less than about 16 mm.

17. (Original) The surgical instrument of claim 15, wherein the housing, at least in a portion housing the stator, has an outer diameter of between about 15 mm and about 16 mm.

18. (Original) The surgical instrument of claim 13, wherein the stator has a length of less than about 100 mm.

19. (Original) The surgical instrument of claim 18, wherein the stator has a length of less than about 60 mm.

20. (Original) The surgical instrument of claim 19, wherein the stator has a length of less than about 50 mm.

21. (Original) The surgical instrument of claim 19, wherein the stator has a length in the range of between about 40 mm and 50 mm.

Claims 22-36 (Canceled).

37. (Currently Amended) ~~An electric motor for use in a surgical procedure, comprising:  
a motor output member;  
a driven member coupled to the motor output member; and  
a driving member having a winding and a magnetically conductive portion disposed proximate the driven member such that energizing the driving member imparts motion to the driven member;~~



Appl. No. 10/698,116  
Reply to Office Action of January 9, 2006

Attorney Docket No. P-11714.00 / 31849.86  
Customer No. 46334

~~wherein at least a portion of the driven member comprises a magnet having a remanence greater than or equal to about 1 T, and~~ The surgical instrument of Claim 1, wherein the winding is a self-supporting winding and is electrically connected to an the electrical supply power source at only one end of the winding.

Claims 38-41 (Canceled).